2019 9 9 16 20 0 & ŗ

1

1 32400m^2

1 10368m^2 1 25920m^2

3000m^2

1 23478m^2

8 600t/a
12960m^2

2

1 1

1 3

2 1 1

1

2

3 10t 2 1

0.2mm

1 10t 8 /d

340d 80% 21760t/a

1

5460m^2

3

1

1

1 15m 3 2 1 1

1

15m 1 1

15m 1 1 15m

1

1 20m 1

1

1 20m 1

1 20m

1

20m

2

1

85m

GB18599-2001

1  1 WS1501

COD 1 WS1503



1

GB12348 –2008 3 [≤65dB A

≤55dB A]

4

GB18599-2001

1

COD 38mg/L BOD_5 9.6mg/L SS

16mg/L NH_3-N 5.81mg/L 0.09mg/L COD SS NH_3-N

GB 31574-2015 1

COD≤50 mg/L SS≤30 mg/L ≤8mg/L BOD_5

(GB8978-1996) 4 BOD_5≤20mg/L

≤10mg/L

COD 19.5mg/L NH_3-N 0.413mg/L

GB 31574-2015 1

GB18918-2002 1 A

1

1

5.6 mg/m³

0.12kg/h

GB 31574-2015 3 30mg/m^3

GB 31574-2015 4

10mg/m^3

6.5mg/m^3 0.47kg/h $SO_2$6mg/m^3 0.435kg/h NOx 13.7mg/m^3

0.993kg/h 4.38mg/m^3 318kg/h 0.16 ng TEQ/m^3 0.012 mg TEQ /h GB 31574-2015 3 30mg/m^3 SO_2 [redacted]^3 NOx 200mg/m^3 30mg/m^3 0.5ng TEQ/m^3

4.42mg/m^3

0.191kg/h

GB 31574-2015 3 30mg/m^3

GB 31574-2015 Å 4

10mg/m^3

2

0.351mg/m³

GB16297-1996 2]¯ˆ+| A€0 ≤1mg/m^3

3

ê

GB12348 –2008 3 [≤65dB A ≤55dB A]

4

ϕ ê × نج 3 1 5 7 4

, pH

7€<° WH«á»ñ d9 Y&æƒ À™˜ YD€

1

GB3095-2012

— HJ 2.2 2018 D

2

GB3838-2002

3

3 pH & ž ×

‘ 0

2019 9 16



河南明泰科技发展有限公司年处理20万吨废铝项目（一期工程）竣工环境保护验收验收报告单

负责人							
设计单位	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
施工单位	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
环评报告表	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
编制单位	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
验收报告编	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
验收成	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]